







50% of diabetic patients suffer from infections arising from **delayed wound healing**, leading to severe complications.

PepShield traps & kills bacteria on contact and prevents bacterial adhesion for **four weeks**, with up to **90% effectiveness**. When **coated on bandages**, enhances quality and healing speed, saving up to USD\$17,500 per case.



	 ConvaTec	 3M	 smith&nephew	 PepShield
Product	Aquacel Ag+	Inadine Non-adherent Dressing	Bactigras Gauze	PepShield Wound Bandage
Technology	1.2% ionic silver	10% Iodine	0.5% Chlorhexidine	10% peptide
Price*	\$\$\$	\$	\$	\$
Use Case	Kills pathogenic Disrupts biofilm	Broad spectrum antimicrobial action	Soothe and protect wound	Prevents long-term infection
Risks	Up to 7-days; Prone to resistance; Toxic	Potential iodine sensitivity risks; Toxic	Potential Skin irritation and allergic reactions	None identified thus far

“Wound infections in diabetic patients are a major concern due to biofilm formation and antibiotic resistance”



-Dr. Ganga
(Geriatric Diabetologist)

Global Diabetics Patient Wound Care

\$14.17Bn

APAC Diabetics Patient Wound Care

\$2.13Bn


5% APAC Diabetics Patient Wound Care

\$106Mn

CAGR 8%

*SAM: APAC
*SOM 5% APAC Market by 2032

Value Chain Pricing & Profit Breakdown



Team



A/Prof. Rachel Ee
Founder



Dhanya Murali
Tech Lead



Rishi Nandiraju
Business Lead



Jenjira Yossomsakdi
Finance Lead



Peewara Padungsatayawong
Operations Lead



Liaw Yih Fui
Marketing Lead



Joel Uddin
Business Development Lead



Hannah Chen
Strategy Lead

Contact Us
Scan the QR Code

